

Florence\_CW\_GW\_Graph\_Data\_With\_Standards

Testsite.Name	Parameter.Name	Sample.Date	Result	Measurement.Unit	Limit_Type	Has_MCL	MCL_Value	Has_SMCL	SMCL_Value	Has_GW_Cleanup	GW_Cleanup_Value
CW -4	AMMONIA (NH3) TOTAL AS N	2/22/2016	7.6	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	9/6/2016	8.7	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	3/1/2017	9.8	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	9/1/2017	8.9	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	2/28/2018	8.8	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	8/30/2018	11	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	2/14/2019	16	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	8/31/2020	22	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	2/25/2021	25	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	8/30/2021	14	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	3/30/2022	10	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	10/5/2022	10	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	4/7/2023	22	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	9/6/2023	28	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	12/28/2023	0.14	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	4/2/2024	0.95	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	5/23/2024	6.5	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	8/1/2024	15	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	2/18/2025	13	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	AMMONIA (NH3) TOTAL AS N	5/19/2025	15	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW-15	AMMONIA (NH3) TOTAL AS N	5/19/2025	0.041	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW-4A	AMMONIA (NH3) TOTAL AS N	2/18/2025	1.1	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW-4A	AMMONIA (NH3) TOTAL AS N	5/19/2025	2.5	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW-4D	AMMONIA (NH3) TOTAL AS N	5/19/2025	0.55	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW-8	AMMONIA (NH3) TOTAL AS N	2/18/2025	9.1	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW-8	AMMONIA (NH3) TOTAL AS N	5/19/2025	0.86	MG/L	GW Cleanup Criteria	FALSE	NA	FALSE	NA	TRUE	2.8
CW -4	ARSENIC (AS)	2/22/2016	12	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	9/6/2016	8.5	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	3/1/2017	8.5	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	9/1/2017	8.5	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	2/28/2018	9	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	8/30/2018	9	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	2/14/2019	9	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	9/16/2019	9	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	3/19/2020	8	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	8/31/2020	9.6	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	2/25/2021	8	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	8/30/2021	15	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	3/30/2022	8.11	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	10/5/2022	10	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	4/7/2023	8	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	9/6/2023	4.6	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	12/28/2023	4.7	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	4/2/2024	9.2	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	5/23/2024	9.8	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	8/1/2024	8	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	2/18/2025	7	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	ARSENIC (AS)	5/19/2025	6	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-15	ARSENIC (AS)	2/18/2025	1	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-15	ARSENIC (AS)	5/19/2025	1.2	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-4A	ARSENIC (AS)	2/18/2025	4.3	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-4A	ARSENIC (AS)	5/19/2025	2.4	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-4D	ARSENIC (AS)	5/19/2025	8	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-8	ARSENIC (AS)	2/18/2025	2.1	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-8	ARSENIC (AS)	5/19/2025	2.3	UG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	BARIUM (BA)	8/31/2020	100	UG/L	MCL	TRUE	2000	FALSE	NA	FALSE	NA
CW-4D	BARIUM (BA)	5/19/2025	30	UG/L	MCL	TRUE	2000	FALSE	NA	FALSE	NA
CW -4	BENZENE	2/22/2016	0.16	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	9/6/2016	0.16	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	3/1/2017	0.32	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	9/1/2017	0.16	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	2/28/2018	0.32	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	8/30/2018	0.16	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	2/14/2019	0.16	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA

CW -4	BENZENE	9/16/2019	0.32	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	3/19/2020	0.16	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	8/31/2020	0.16	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	2/25/2021	0.75	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	8/30/2021	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	3/30/2022	0.71	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	10/5/2022	0.5	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	4/7/2023	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	9/6/2023	0.71	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	12/28/2023	0.71	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	4/2/2024	0.71	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	5/23/2024	0.71	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	8/1/2024	0.75	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	2/18/2025	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	BENZENE	5/19/2025	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW-15	BENZENE	2/18/2025	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW-15	BENZENE	5/19/2025	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW-4A	BENZENE	2/18/2025	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW-4A	BENZENE	5/19/2025	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW-4D	BENZENE	5/19/2025	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW-8	BENZENE	2/18/2025	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW-8	BENZENE	5/19/2025	0.25	UG/L	MCL	TRUE	1	FALSE	NA	FALSE	NA
CW -4	CHLORIDE	2/22/2016	62	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	9/6/2016	69	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	3/1/2017	69	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	9/1/2017	53	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	2/28/2018	60	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	8/30/2018	66	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	2/14/2019	59	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	9/16/2019	57	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	3/19/2020	29	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	8/31/2020	73	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	2/25/2021	66	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	8/30/2021	46	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	3/30/2022	44	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	10/5/2022	42	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	4/7/2023	62	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	9/6/2023	66	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	12/28/2023	86	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	4/2/2024	67	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	5/23/2024	69	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	8/1/2024	50	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	2/18/2025	39	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	CHLORIDE	5/19/2025	41	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-15	CHLORIDE	2/18/2025	19	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-15	CHLORIDE	5/19/2025	19	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-4A	CHLORIDE	2/18/2025	33	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-4A	CHLORIDE	5/19/2025	39	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-4D	CHLORIDE	5/19/2025	7	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-8	CHLORIDE	2/18/2025	28	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-8	CHLORIDE	5/19/2025	24	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	IRON (FE)	2/22/2016	2600	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	9/6/2016	2800	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	3/1/2017	2500	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	9/1/2017	2600	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	2/28/2018	3500	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	8/30/2018	4000	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	2/14/2019	4200	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	3/19/2020	3500	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	8/31/2020	3400	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	2/25/2021	3400	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	8/30/2021	2200	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	3/30/2022	2170	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	10/5/2022	2400	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	4/7/2023	2000	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	9/6/2023	1700	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	12/28/2023	1600	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA

CW -4	IRON (FE)	4/2/2024	2900	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	5/23/2024	3000	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	8/1/2024	2600	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	2/18/2025	2600	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	IRON (FE)	5/19/2025	2500	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW-15	IRON (FE)	2/18/2025	1300	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW-15	IRON (FE)	5/19/2025	1400	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW-4A	IRON (FE)	2/18/2025	830	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW-4A	IRON (FE)	5/19/2025	1800	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW-4D	IRON (FE)	5/19/2025	1700	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW-8	IRON (FE)	2/18/2025	1800	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW-8	IRON (FE)	5/19/2025	920	UG/L	SMCL	FALSE	NA	TRUE	300	FALSE	NA
CW -4	LEAD (PB)	2/22/2016	1.3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	9/6/2016	1.3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	3/1/2017	1.3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	9/1/2017	1.3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	2/28/2018	2.9	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	8/30/2018	2.9	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	2/14/2019	5.2	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	9/16/2019	15	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	3/19/2020	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	8/31/2020	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	2/25/2021	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	8/30/2021	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	3/30/2022	2.5	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	10/5/2022	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	4/7/2023	7.3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	9/6/2023	1.1	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	12/28/2023	0.27	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	4/2/2024	0.27	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	5/23/2024	0.24	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	8/1/2024	7.5	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	2/18/2025	3.7	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	LEAD (PB)	5/19/2025	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW-15	LEAD (PB)	2/18/2025	4.6	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW-15	LEAD (PB)	5/19/2025	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW-4A	LEAD (PB)	2/18/2025	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW-4A	LEAD (PB)	5/19/2025	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW-4D	LEAD (PB)	5/19/2025	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW-8	LEAD (PB)	2/18/2025	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW-8	LEAD (PB)	5/19/2025	3	UG/L	MCL	TRUE	15	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	2/22/2016	0.25	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	9/6/2016	0.25	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	3/1/2017	0.05	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	9/1/2017	0.25	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	2/28/2018	1	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	8/30/2018	0.25	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	2/14/2019	1	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	9/16/2019	1	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	3/19/2020	1	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	8/31/2020	1	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	2/25/2021	1	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	8/30/2021	0.05	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	3/30/2022	1.2	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	10/5/2022	2	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	4/7/2023	10	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	9/6/2023	0.2	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	12/28/2023	0.03	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	4/2/2024	0.2	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	5/23/2024	2	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	8/1/2024	2	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	2/18/2025	1.1	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	NITRATE (NO3) AS N	5/19/2025	1	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-15	NITRATE (NO3) AS N	2/18/2025	0.27	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-15	NITRATE (NO3) AS N	5/19/2025	0.44	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-4A	NITRATE (NO3) AS N	2/18/2025	1	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-4A	NITRATE (NO3) AS N	5/19/2025	0.4	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA

CW-4D	NITRATE (NO3) AS N	5/19/2025	0.2	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-8	NITRATE (NO3) AS N	2/18/2025	2	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW-8	NITRATE (NO3) AS N	5/19/2025	3.7	MG/L	MCL	TRUE	10	FALSE	NA	FALSE	NA
CW -4	SULFATE (SO4)	2/22/2016	350	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	9/6/2016	360	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	3/1/2017	310	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	9/1/2017	270	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	2/28/2018	400	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	8/30/2018	480	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	2/14/2019	490	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	9/16/2019	520	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	3/19/2020	680	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	8/31/2020	590	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	2/25/2021	570	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	8/30/2021	350	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	3/30/2022	290	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	10/5/2022	280	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	4/7/2023	300	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	9/6/2023	220	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	12/28/2023	260	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	4/2/2024	280	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	5/23/2024	280	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	8/1/2024	270	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	2/18/2025	180	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	SULFATE (SO4)	5/19/2025	200	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-15	SULFATE (SO4)	2/18/2025	42	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-15	SULFATE (SO4)	5/19/2025	56	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-4A	SULFATE (SO4)	2/18/2025	200	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-4A	SULFATE (SO4)	5/19/2025	210	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-4D	SULFATE (SO4)	5/19/2025	18	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-8	SULFATE (SO4)	2/18/2025	220	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW-8	SULFATE (SO4)	5/19/2025	200	MG/L	SMCL	FALSE	NA	TRUE	250	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	2/22/2016	1400	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	9/6/2016	1500	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	3/1/2017	1400	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	9/1/2017	1300	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	2/28/2018	1400	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	8/30/2018	1600	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	2/14/2019	1700	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	9/16/2019	1900	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	3/19/2020	2000	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	8/31/2020	1900	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	2/25/2021	2000	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	8/30/2021	1400	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	3/30/2022	1200	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	10/5/2022	1100	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	4/7/2023	1400	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	9/6/2023	1700	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	12/28/2023	1700	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	4/2/2024	1400	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	5/23/2024	1300	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	8/1/2024	1300	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	2/18/2025	1000	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW -4	TOTAL DISSOLVED SOLIDS TD	5/19/2025	1300	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW-15	TOTAL DISSOLVED SOLIDS TD	2/18/2025	400	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW-15	TOTAL DISSOLVED SOLIDS TD	5/19/2025	340	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW-4A	TOTAL DISSOLVED SOLIDS TD	2/18/2025	950	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW-4A	TOTAL DISSOLVED SOLIDS TD	5/19/2025	940	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW-4D	TOTAL DISSOLVED SOLIDS TD	5/19/2025	160	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW-8	TOTAL DISSOLVED SOLIDS TD	2/18/2025	760	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA
CW-8	TOTAL DISSOLVED SOLIDS TD	5/19/2025	500	MG/L	SMCL	FALSE	NA	TRUE	500	FALSE	NA